

Amendments to the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1.-89. (Canceled)

90. (Currently Amended) A method of ~~treating a neurological disorder selected from the group consisting of~~ stimulating neuronal regeneration and growth in a mammal having peripheral neuropathies caused by physical injury or disease state, physical damage to the brain, physical damage to the spinal cord, stroke associated with brain damage, ~~or-and~~ neurological disorders relating to neurodegeneration ~~in-an-animal~~, comprising:

administering to the animal an effective amount of a compound to stimulate growth of damaged peripheral nerves or to promote neuronal regeneration, where the compound has the formula (I):




where

n is 1;

R₁ is selected from the group consisting of hydrogen, C₁-C₉ straight or branched chain alkyl, C₂-C₉ straight or branched chain alkenyl, aryl, heteroaryl, carbocycle, and heterocycle;

D is selected from the group consisting of a bond, C₁-C₁₀ straight or branched chain alkylene, C₂-C₁₀ alkenylene, and C₂-C₁₀ alkynylene;

R₂ is selected from the group consisting of:



wherein said alkyl, alkenyl, alkylene, alkenylene, alkynylene, aryl, heteroaryl, carbocycle, heterocycle, or R₂ is optionally substituted with one or more substituents selected from R₃, where

R₃ is selected from the group consisting of hydrogen, hydroxy, halo, haloalkyl, thiocarbonyl, alkoxy, alkenoxy, alkylaryloxy, aryloxy, arylalkyloxy, cyano, nitro, imino, alkylamino, aminoalkyl, sulfhydryl, thioalkyl, alkylthio, sulfonyl, C₁-C₆ straight or branched chain alkyl, C₂-C₆ straight or branched chain alkenyl or alkynyl, aryl, heteroaryl, carbocycle, heterocycle, and CO₂R₄ where R₄ is selected from the group consisting of hydrogen, C₁-C₉ straight or branched chain alkyl, and C₂-C₉ straight or branched chain alkenyl;

or a pharmaceutically acceptable salt or solvate thereof.

91. (Canceled)


92. (Original) The method of claim 90, wherein the neurological disorder is selected from the group consisting of Alzheimer's Disease, Parkinson's Disease, and amyotrophic lateral sclerosis.

93. (Original) The method of claim 90, wherein the neurological disorder is Alzheimer's disease.

94. (Original) The method of claim 90, wherein the neurological disorder is amyotrophic lateral sclerosis.

95. (Original) The method of claim 90, wherein said compound is non-immunosuppressive.

96. (Original) The method of claim 90, wherein the compound is selected from the group consisting of:




97. (Withdrawn) The method of claim 90, further comprising administering a neurotrophic factor different from formula (I).

98. (Withdrawn) The method of claim 97, wherein said neurotrophic factor different from formula (I) is selected from the group consisting of neurotrophic growth factor, brain derived growth factor, glial derived growth factor, ciliary neurotrophic factor, insulin growth factor and active truncated derivatives thereof, acidic fibroblast growth factor, basic fibroblast growth factor, platelet-derived growth factors, neurotrophin-3, and neurotrophin 4/5.

99. (Currently Amended) A method of ~~treating a neurological disorder selected from the group consisting of stimulating neuronal regeneration and growth in a mammal having~~ peripheral neuropathies caused by physical injury or disease state, physical damage to the brain, physical damage to the spinal cord, stroke associated with brain damage, or and neurological disorders relating to neurodegeneration ~~in an animal~~, comprising:

administering to the animal an effective amount of a compound to stimulate growth of damaged peripheral nerves or to promote neuronal regeneration, where the compound has the formula (I):



where

n is 1;

R₁ is selected from the group consisting of hydrogen, C₁-C₉ straight or branched chain alkyl, C₂-C₉ straight or branched chain alkenyl, aryl, heteroaryl, carbocycle, and heterocycle;

D is selected from the group consisting of a bond, C₁-C₁₀ straight or branched chain alkylene, C₂-C₁₀ alkenylene, and C₂-C₁₀ alkynylene;

R₂ is selected from the group consisting of:

-COOH, -SO₃H, -SO₂HNR₃, -PO₂H, -CN, -PO(OH)(OR₃), -C(O)NHOH, -C(O)NH-SO₂R₃, and -CONHCN; wherein said alkyl, alkenyl, alkylene, alkenylene, alkynylene, aryl, heteroaryl, carbocycle, heterocycle, or R₂ is optionally substituted with one or more substituents selected from R₃, where

R₃ is selected from the group consisting of hydrogen, hydroxy, halo, haloalkyl, thiocarbonyl, alkoxy, alkenoxy, alkylaryloxy, aryloxy, arylalkyloxy, cyano, nitro, imino, alkylamino, aminoalkyl, sulfhydryl, thioalkyl, alkylthio, sulfonyl, C₁-C₆ or branched chain alkyl, C₂-C₆ straight or branched chain alkenyl or alkynyl, aryl, heteroaryl, carbocycle, heterocycle, and CO₂R₄ where R₄ is selected from the group

consisting of hydrogen, C₁-C₉ straight or branched chain alkyl, and C₂-C₉ straight or branched chain alkenyl;
or a pharmaceutically acceptable salt, or solvate thereof.

100. (Canceled)

101. (Original) The method of claim 99, wherein the neurological disorder is selected from the group consisting of Alzheimer's Disease, Parkinson's Disease, and amyotrophic lateral sclerosis.


102. (Original) The method of claim 99, wherein the neurological disorder is Alzheimer's Disease.

103. (Original) The method of claim 99, wherein the neurological disorder is amyotrophic lateral sclerosis.


104. (Original) The method of claim 99, wherein said compound is non-immunosuppressive.

105. (Previously Presented) The method of claim 99, wherein the compound is selected from the group consisting of:


(2S)-1-(phenylmethyl)sulfonyl-2-hydroxymethyl pyrrolidine;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;




;






;




;




;







;



;



;



106. (Withdrawn) The method of claim 105, further comprising administering a neurotrophic factor different from formula (I).

107. (Withdrawn) The method of claim 106 wherein said neurotrophic factor different from formula (I) is selected from the group consisting of neurotrophic growth factor, brain derived growth factor, glial derived growth factor, ciliary neurotrophic factor, insulin growth factor and active truncated derivatives thereof, acidic fibroblast growth factor, basic fibroblast growth factor, platelet-derived growth factors, neurotrophin-3, and neurotrophin 4/5.

108. (Previously Presented) The method of claim 90, wherein D is a bond.

109. (Previously Presented) The method of claim 90, wherein R₃ is not cyano.

110. (Previously Presented) The method of claim 99, wherein D is a bond.

111. (Previously Presented) The method of claim 99, wherein R₃ is not cyano.